

**Case 3264****STAPHYLINIDAE Latreille, 1804 (Insecta, Coleoptera): proposed conservation of ten specific names**

Lee H. Herman

*American Museum of Natural History, Central Park West at 79th Street,  
New York, N. Y. 10024–5192, U.S.A. (e-mail: herman@amnh.org)*

**Abstract.** The purpose of this application, in relation to Articles 23.9.3 and 23.9.5 of the Code, is the conservation of ten specific names (six junior primary homonyms, three junior secondary homonyms, and one junior synonym) that have been in use for many years for rove beetles (family STAPHYLINIDAE). None of the species denoted by the homonyms has been considered congeneric after 1899. Conservation would confer the greatest stability in the naming of these staphylinid taxa.

**Keywords.** Nomenclature; taxonomy; Coleoptera; STAPHYLINIDAE; rove beetles.

---

1. This application seeks to conserve six junior primary homonyms, three junior secondary homonyms, and one junior synonym that are used for rove beetles (family STAPHYLINIDAE). In four cases (see Table 1, nos. 6–9), both the senior and junior primary homonyms are in current use and the species they represent have not been considered congeneric after 1899. These cases are submitted to the Commission under the provisions of Article 23.9.5.

2. In two cases (see Table 1, nos. 4–5), the primary homonyms represent species that have not been considered congeneric after 1899 and the senior names have been junior synonyms since before 1899. However, the junior names have not been used a sufficient number of times in the last 50 years to satisfy the requirements of Article 23.9.1.2. These cases are presented to the Commission for action under Article 23.9.3.

3. In two cases of secondary homonymy (see Table 1, nos. 2–3) the senior names have been junior synonyms since before 1899, but the junior names do not fulfil the usage requirements of Article 23.9.1.2. These cases are submitted under Article 23.9.3. In the third case of secondary homonymy (see Table 1, no. 1), the senior name has never been cited as a junior synonym, but has remained unused since 1839, whereas the junior name has been in constant although infrequent use. The case for conserving this name is submitted under Article 23.9.3.

4. In the case of the synonymy (see Table 2), the junior name *Paederus limnophilus* Erichson, 1840 (p. 653) has been cited a sufficient number of times (by 21 authors in 27 articles in the last 50 years) to allow its ‘automatic’ protection under Article 23.9.1.2. However, Frank (1988) used the older name for this species, *Paederus limophilus* Heer, 1839 (p. 235), which had otherwise not been used since Kraatz (1857), thereby preventing ‘automatic’ protection of *P. limnophilus* under Article 23.9.1.

5. The homonyms and synonyms (with associated details) are presented in Table 1 and Table 2 respectively. The usage of these names in the last 50 years is summarized

in the tables. Full details of usage are held by the Commission Secretariat and are available on request in electronic or hard copy.

6. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary power to rule that:
  - (a) the specific names in column 2 of Table 1, as originally published in binomina with the generic names in column 5 of Table 1, are not invalid by reason of their being junior primary homonyms, in nos. 4–9 of Table 1, or junior secondary homonyms, in nos. 1–3 of Table 1, of the specific names in column 4 of Table 1;
  - (b) the specific name *limnophilus* Erichson, 1840 (Table 2, column 1), as originally published in a binomen with *Paederus* (Table 2, column 1), is to be given precedence over the specific name *limophilus* Heer, 1839 (Table 2, column 3), as originally published in a binomen with *Paederus* (Table 2, column 3), whenever the two are considered to be synonyms;
- (2) to place on the Official List of Specific Names in Zoology the following names:
  - (a) the specific names in column 4 of Table 1, as originally published in the binomina with generic names in column 5 of Table 1;
  - (b) the specific names in column 2 of Table 1, as originally published in binomina with generic names in column 5 of Table 1, ruled in (1a) above to be not invalid by reason of being junior homonyms of the names in column 4 of Table 1;
  - (c) the specific name *limnophilus* Erichson, 1840 (Table 2, column 1), as originally published in a binomen with *Paederus* (Table 2, column 1), with the endorsement, as ruled in (1)(b) above, that it is to be given precedence over *limnophilus* Heer, 1839 (Table 2, column 3), as originally published in a binomen with *Paederus* (Table 2, column 3), whenever they are considered to be synonyms;
  - (d) the specific name *limnophilus* Heer, 1839 (Table 2, column 3), as originally published in a binomen with *Paederus* (Table 2, column 3), with the endorsement, as ruled in (1)(b) above, that it not be given priority over *limnophilus* Erichson, 1840 (Table 2, column 1), as originally published in a binomen with *Paederus* (Table 1, column 1), whenever they are considered to be synonyms.

### Acknowledgements

I thank V. Assing (Hannover, Germany), M. Schülke (Berlin, Germany) and A. Smetana (Ottawa, Ontario) for their comments on an earlier draft of parts of the manuscript.

### References

- Adachi, T. 1955. Systematic study on the subfamily Paederinae of Staphylinidae of Japan. *Journal of the Tokyo University*, 7: 11–36.
- Assing, V. & Schülke, M. 2001. Supplemente zur mitteleuropäischen Staphylinidenfauna (Coleoptera, Staphylinidae). II. *Entomologische Blätter für Biologie und Systematik der Käfer*, 97: 121–176.

- Aubé, C. 1850. Description de quelques insectes coléoptères appartenant à l'Europe et à l'Algérie. *Annales de la Société Entomologique de France*, (2)8: 299–346.
- Blanchard, C.E. 1842. [New species]. Pp. 57–88 in Brullé, A., *Voyage dans l'Amérique méridionale . . . par Alcide d'Orbigny . . . Insectes Coléoptères*, vol. 6, pt. 2. Bertrand, Paris.
- Cameron, M. 1924. New species of Staphylinidae from India. *Transactions of the Entomological Society of London*, 1924: 160–198.
- Chevrolat, L. 1860. Description des Coléoptères nouveaux d'Algérie. *Revue et Magazin de Zoologie*, (2)12: 409–410.
- Curtis, J. 1840. Descriptions, &c. of some rare or interesting indigenous insects. *Annals of Natural History*, 5: 274–282.
- Erichson, W.F. 1840. *Genera et species Staphylinorum insectorum coleopterorum familiae*, pt. 2. Pp. 401–954. Morin, Berlin.
- Fagel, G. 1963. Pinophilini I. (Coleoptera, Polyphaga). Fam. Staphylinidae. *Exploration du Parc National de la Garamba. Mission H. de Saeger*, 37: 1–325.
- Fauvel, A. 1865. Notes synonymiques. *Notices Entomologiques*, 3: 15–18.
- Fauvel, A. 1887. Los estaflinos de Buenos Aires. Notes sur l'ouvrage de M.F. Lynch Arribalzaga. *Revue d'Entomologie*, 6: 230–234.
- Frank, J.H. 1988. *Paederus*, sensu lato (Coleoptera: Staphylinidae): An index and review of the taxa. *Insecta Mundi*, 2(2): 97–159.
- Gemminger, M. & Harold, von E. 1868. *Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus*, vol. 2. 425–752, 6 pp. Gummi, Monachii.
- Gravenhorst, J.L.C. 1802. *Coleoptera Microptera Brunsvicensia . . .* lxxvi, 206 pp. Reichard, Brunsvigae.
- Heer, O. 1839. Pp. 145–360 in: *Fauna Coleopterorum Helveticae*, vol. 1, pt. 2. Orellii, Fuesslini et Sociorum, Turici.
- Kraatz, G. 1857. *Naturgeschichte der Insecten Deutschlands. Abt. 1. Coleoptera. Zweiter Band*, Lief. 3–4, pp. 377–768; Lief. 5–6, pp. 769–1080. Nicolai, Berlin.
- Lott, D.A. & Herman, L.H. In press. Lectotype designation for *Carpelimus obscurus* Stephens, 1834, and *Astenus brunneus* Stephens, 1833, a new synonymy and a *nomen dubium*. (Coleoptera: Staphylinidae). *Entomologist's Monthly Magazine*.
- Mulsant, E. & Rey, C. 1878. Tribu des brévipennes. Troisième famille: Pédériens. Quatrième Famille: Euesthetiens. *Annales de la Société Linnéenne de Lyon*, (n. ser.)24(1877): 1–341.
- Nordmann, A. von. 1837. *Symbolae ad monographiam staphylinorum*. Ex Academiae Caesareae Scientiarum, vol. 4. 167 pp. Academiae Caesareae Scientiarum, Petropoli.
- Reitter, E. 1909. *Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet*, vol. 2. 392 pp. Lutz, Stuttgart.
- Sharp, D.S. 1876. Contribution to an insect fauna of the Amazon Valley. Coleoptera-Staphylinidae. *Transactions of the Entomological Society of London*, 1876: 27–424.
- Sharp, D.S. 1886. Staphylinidae. Pp. 537–672 in: *Biologia Centrali-Americana. Insecta. Coleoptera*, vol. 1, pt. 2. Taylor & Francis, London.
- Sharp, D. 1889. The Staphylinidae of Japan. *Annals and Magazine of Natural History*, (6)3: 28–44; 108–121; 249–267; 319–334; 406–419; 463–476.
- Stephens, J.F. 1833. Pp. 241–304 in: *Illustrations of British entomology . . . Mandibulata*, vol. 5. Baldwin & Cradock, London.
- Stephens, J.F. 1839. *A manual of British Coleoptera, or beetles . . .* 12, 443 pp. Longman, Orme, Brown, Green & Longmans, London.
- Waltl, J. 1838. Beiträge zur nähern naturhistorischen Kenntnis des Unterdonaukreises in Bayern. Columns 250–273 in Oken, L. (Ed.), *Isis, encyclopädische Zeitschrift, vorzüglich für Naturgeschichte, vergleichende Anatomie und Physiologie*. 952 columns. Brockhaus, Leipzig.
- Waterhouse, G.R. 1858. *Catalogue of British Coleoptera*. iv, 117 pp. Taylor & Francis, London.
- Willers, J. 2001. Systematisch-nomenklatorische Ädrungen in der Gattung *Paederus* Fabricius s.l. (Coleoptera, Staphylinidae). *Veröffentlichungen Naturkundemuseum Erfurt*, 20: 189–192.

**Wollaston, T.V.** 1864. *Catalogue of the coleopterous insects of the Canaries in the collection of the British Museum*. xiii, 648 pp. British Museum, London.

Acknowledgement of receipt of this application was published in BZN 60: 93.

---

Comments on this case are invited for publication (subject to editing) in the *Bulletin*; they should be sent to the Executive Secretary, I.C.Z.N., c/o The Natural History Museum, Cromwell Road, London SW7 5BD, U.K. (e-mail: [iczn@nhm.ac.uk](mailto:iczn@nhm.ac.uk)).

**Table 1.** 9 specific names (junior homonyms) proposed for conservation, with their senior homonyms and other information  
**KEY:**  
 Names are arranged in alphabetical order and the numbers applied to them have relevance only within the table.  
 s.h. – senior homonym; j.h. – junior homonym; j.s. – junior synonym; j.p.h. – junior primary homonym; j.s.h. – junior secondary homonym.

No. (column 1)	Junior homonyms proposed for conservation (column 2)	Geographic distribution of species referred to by the junior homonym (column 3)	Senior homonym (column 4)	Genus in which originally described (column 5)	Notes (column 6)	Code (column 7)
1	<i>Astenus dimidiatus</i> (Wollaston, 1864, p. 591)	Canary Islands	<i>Astenus dimidiatus</i> Stephens, 1833, p. 277	s.h. described in <i>Astenus</i> j.h. originally described in <i>Sumius</i> Stephens, 1829	j.s.h. cited by 6 authors in 7 articles in last 50 years s.h. unused after 1839 (Stephens, 1839, p. 408); specimens of type series not found and name declared nomen dubium (Lott & Herman, in press) j.s.h. cited by 2 authors in 3 articles in last 50 years s.h. = j.s. of either <i>Astenus procerus</i> (Gravenhorst, 1806) or <i>Astenus filiformis</i> (Latreille, 1806), since 1840 (Erichson, 1840, p. 932)	Article 23.9.3
2	<i>Astenus filum</i> (Aubé, 1850, p. 317)	North Africa	<i>Astenus filum</i> (Waltl, 1838, column 267)	s.h. originally described in <i>Paederus</i> Fabricius, 1775 j.h. originally described in <i>Sumius</i> Stephens, 1829	s.h. = j.s. of either <i>Astenus procerus</i> (Gravenhorst, 1806) or <i>Astenus filiformis</i> (Latreille, 1806), since 1840 (Erichson, 1840, p. 932)	Article 23.9.3
3	<i>Astenus rutilipennis</i> Reitter, 1909, p. 151	Caucasus, Czech Republic, Slovakia	<i>Astenus rutilipennis</i> (Chevrolat, 1860, p. 410)	s.h. described in <i>Sumius</i> Stephens, 1829 j.h. described in <i>Astenus</i>	j.h. cited by 7 authors in 8 articles in last 50 years s.h. = j.s. of <i>Astenus filum</i> (Aubé, 1850) since 1865 (Fauvel, 1865, p. 17) Examples 2 and 3 are interrelated in that if <i>Astenus filum</i> (Aubé) is replaced by its next oldest synonym, <i>A. rutilipennis</i> (Chevrolat), and <i>A. rutilipennis</i> Reitter is replaced then the name <i>A. rutilipennis</i> will still be used but for a different species, in a different subgenus, from a different region	Article 23.9

4	<i>Astenes unicolor</i> (Mulsant & Rey, 1878, p. 276)	France, Italy	a. <i>Pseudomedeon unicolor</i> (Stephens, 1839, p. 407) b. <i>Pseudomedeon unicolor</i> (Curtis, 1840, p. 277)	<i>Sinitus</i> Stephens, 1829	j.-h. cited by 2 authors in 4 articles in last 50 years; never congeneric with a or b a and b moved from <i>Sinitus</i> in 1858 (Waterhouse, 1858, p. 27); a and b = j.s. of <i>Pseudomedeon obsoletus</i> (Nordmann, 1837) and unused after 1858 (Waterhouse, 1858, p. 27)	Article 23.9.3
5	<i>Lathrobium fithvipes</i> Adachi, 1955, p. 30	Japan	<i>Piniophilus fithvipes</i> (Blanchard, 1842, p. 85)	<i>Lathrobium</i> Gravenhorst, 1802	j.-h. cited by 3 authors in 4 articles in last 50 years s.h. = j.s.h. of <i>Lathrotriphium fithvipes</i> (Erichson, 1840); j.s. of <i>Piniophilus blanchardi</i> Fauvel, 1887; has been in <i>Lathrotriphium</i> Sharp, 1886, or <i>Piniophilus</i> Gravenhorst, 1802, since 1887 (Fauvel, 1887, p. 233)	Article 23.9.3
6	<i>Lathrobium pallipes</i> Sharp, 1889, p. 257	China, Japan, Korea	<i>Honnacotarsus pallipes</i> (Gravenhorst, 1802, p. 179)	<i>Lathrobium</i> Gravenhorst, 1802	s.h. moved from <i>Lathrobium</i> in 1837 (Nordmann, 1837, p. 149)	Article 23.9.5
7	<i>Lobrathium badium</i> (Cameron, 1924, p. 193)	India	<i>Honnacotarsus badius</i> (Gravenhorst, 1802, p. 53)	<i>Lathrobium</i> Gravenhorst, 1802	s.h. and j.-h. valid; never congeneric; s.h. moved from <i>Lathrobium</i> in 1840 (Erichson, 1840, p. 562)	Article 23.9.5
8	<i>Minioptiophilus tenuis</i> (Fagel, 1963, p. 216)	Democratic Republic of the Congo	<i>Lathrotriphium tenuis</i> (Sharp, 1876, p. 323)	<i>Piniophilus</i> Gravenhorst, 1802	s.h. and j.-h. valid; never congeneric; s.h. moved from <i>Piniophilus</i> in 1886 (Sharp, 1886, p. 628)	Article 23.9.5
9	<i>Platydomene bicolor</i> (Erichson, 1840, p. 593)	Europe, North Africa	a. <i>Honnacotarsus bicolor</i> (Gravenhorst, 1802, p. 179) b. <i>Lathrobium bicolor</i> Heer, 1839, p. 240	<i>Lathrobium</i> Gravenhorst, 1802	a. valid name; moved from <i>Lathrobium</i> in 1840 (Erichson, 1840, p. 563) b. Unused since at least 1868 (Gemminger & Harold, 1868, p. 609); j.p.h. of a	a. Article 23.9.5 b. Articles 23.9.1 and 23.9.2

Table 2. Specific name (junior synonym) proposed for conservation, with other information

KEY:

s.s. – senior synonym; j.s. – junior synonym.

Synonym proposed for conservation (column 1)	Geographic distribution of species referred to by the synonyms (column 2)	Synonym proposed not to be given priority (column 3)	Notes (column 4)	Code (column 5)
<i>Paederus linnophilus</i> Erichson, 1840, p. 653	Europe	<i>Paederus linnophilus</i> Heer, 1839, p. 235	j.s. cited as valid by 21 authors in 27 articles in last 50 years s.s. cited as invalid synonym of <i>P. linnophilus</i> from 1857 (Kraatz, 1857, p. 729) until resurrected in 1988 (Frank, 1988, p. 118; see also Willers, 2001, p. 189, and Assing & Schülke, 2001, p. 131) thereby preventing automatic protection of j.s. under Article 23.9.1.1	Article 23.9.3